Safety Data Sheet

SECTION 1 IDENTI	FICATION							
Product Name:	OdoBan Ready-to-Use (Linen So	ent)						
Item #:	10762							
Use:	Disinfectant; air freshener (non-aerosol)							
Issue Date:	6/6/19							
Supersedes:								
Superseues.	4/10/18							
		ELEPHONE NUMBERS						
CTOPETII	Clean Control Corporation N	ledical Emergency (8 am - 5 pm EST):						
() () () () () () () () () () () () () (PO Box 7444 C	Quality Assurance Hotline (8 am - 5 pm EST): 800.841.390						
	Warner Robins GA 31095 T	ransportation Emergency (24-hours):	800.424.9300					
	CTION 2 HAZARDS IDENTIFICATION							
	Corrosion/Irritation Category: 2; Eye Da	amage/Irritation Category: 2B						
Signal Word: WARNING Pictogram(s): Exclamation m	ark							
Hazard Statement: Causes sl	kin irritation. Causes eye irritation.							
		protective gloves. If on skin: Wash with plenty						
		and wash it before reuse. If in eyes: Rinse cau e rinsing. If eye irritation persists: Get medical a						
NOTE: In some cases, labeling r	equired by OSHA under the amended Hazar	d Communication Standard (29 CFR 1910.1200) con	flicts with labeling required for					
		CT (FIFRA) or the Consumer Product Safety Commiss duced in Section 15 – Regulatory Information.	sion (CPSC). If applicable, other					
	OSITION / INFORMATION O							
Components			eight Percent					
Water (CAS No. 7732-18-5)			>90.0					
Isopropanol (CAS No. 67-63-0)		<4.0					
Dipropylene glycol n-butyl ethe	/		<4.0					
	ammonium chloride (CAS No. 68424-	85-1)	0.30					
The exact percentages of composition	tion have been withheld as a trade secret.							
SECTION 4 FIRST-								
Eye Contact:		ly and gently with water for 15-20 minutes. Remove c	ontact lenses, if present, after the					
Skin Contact:	first 5 minutes, then continue rinsing eye. IF ON SKIN OR CLOTHING: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15-20 minutes.							
Inhalation:	IF INHALED: Move to fresh air. If not breat	thing, call 911, then give artificial respiration, preferab						
initiation	attention.	enter or doctor immediately for treatment advice. Have	person sin a class of water if able					
Ingestion:	IF SWALLOWED: Call a poison control center or doctor immediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an							
	unconscious person.							
	GHTING MEASURES	2						
Flash Point / Method: Flammable Limits:	>200°F / Pensky Martens Closed Cu	0						
Flash Point / Method: Flammable Limits: Extinguishing Media:								
Flammable Limits: Extinguishing Media: Special Fire Fighting	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara		NFPA					
Flammable Limits: Extinguishing Media:	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca	rbon dioxide.	0					
Flammable Limits: Extinguishing Media: Special Fire Fighting	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara	rbon dioxide.						
Flammable Limits: Extinguishing Media: Special Fire Fighting	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara	rbon dioxide. atus and protective clothing in accordance	0					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures:	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara with OSHA regulations.	rbon dioxide. atus and protective clothing in accordance	0					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara with OSHA regulations.	rbon dioxide. atus and protective clothing in accordance	0					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards:	>200°F / Pensky Martens Closed Cu Not established Use water, foam, dry chemical, or ca Wear self-contained breathing appara with OSHA regulations.	rbon dioxide. atus and protective clothing in accordance ting.	0					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards: SECTION 6 ACCID	 >200°F / Pensky Martens Closed Cup Not established Use water, foam, dry chemical, or can Wear self-contained breathing appara with OSHA regulations. Products of combustion may be irritate ENTAL RELEASE MEASURE Small spills: Contain spill. Flush to sa 	rbon dioxide. atus and protective clothing in accordance ting. ES nitary sewer. Rinse area thoroughly with water	Large spills: Dike or dam spill					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards: SECTION 6 ACCID Response to Spills:	 >200°F / Pensky Martens Closed Cup Not established Use water, foam, dry chemical, or car Wear self-contained breathing appara with OSHA regulations. Products of combustion may be irritation ENTAL RELEASE MEASURE Small spills: Contain spill. Flush to sa Pump to containers or soak up with irritation 	rbon dioxide. atus and protective clothing in accordance ting. ES	Large spills: Dike or dam spill					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards: SECTION 6 ACCID	 >200°F / Pensky Martens Closed Cup Not established Use water, foam, dry chemical, or cal Wear self-contained breathing appara with OSHA regulations. Products of combustion may be irritate ENTAL RELEASE MEASURE Small spills: Contain spill. Flush to sa Pump to containers or soak up with in ING AND STORAGE 	rbon dioxide. atus and protective clothing in accordance ting. ES nitary sewer. Rinse area thoroughly with water hert absorbent. Prevent runoff to creeks and wa	Large spills: Dike or dam spill aterways.					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards: SECTION 6 ACCID Response to Spills:	 >200°F / Pensky Martens Closed Cup Not established Use water, foam, dry chemical, or cal Wear self-contained breathing appara with OSHA regulations. Products of combustion may be irritate ENTAL RELEASE MEASURE Small spills: Contain spill. Flush to sa Pump to containers or soak up with in ING AND STORAGE Wash after handling. Wash hands be 	rbon dioxide. atus and protective clothing in accordance ting. ES nitary sewer. Rinse area thoroughly with water	Large spills: Dike or dam spill.					
Flammable Limits: Extinguishing Media: Special Fire Fighting Procedures: Fire and Explosion Hazards: SECTION 6 ACCID Response to Spills: SECTION 7 HANDL	 >200°F / Pensky Martens Closed Cup Not established Use water, foam, dry chemical, or cal Wear self-contained breathing appara with OSHA regulations. Products of combustion may be irritation Products of combustion may be irritation Small spills: Contain spill. Flush to sa Pump to containers or soak up with in ING AND STORAGE Wash after handling. Wash hands be container. 	rbon dioxide. atus and protective clothing in accordance ting. ES nitary sewer. Rinse area thoroughly with water hert absorbent. Prevent runoff to creeks and wa	Large spills: Dike or dam spill. terways.					

SECTION 8 EXPOSURE CONTROLS / PERSONAL PROTECTION								
	Exposure Limits:	Com	oonent	OSHA PEL	ACGIH TLV	NIOSH REL		
		Water (CAS No. 7732-18-5) Isopropanol (CAS No. 67-63-0)				None		
		Dipropylene glycol n-butyl ether (CAS N	o. 29911-28-2)	400 ppin 100A	200 ppm 1 WA None	400 ppm 100A		
		Alkyl (C12-16) dimethyl benzyl ammoniu	Alkyl (C12-16) dimethyl benzyl ammonium chloride (CAS No. 68424-85-1) None					
	Hygienic Practices:	Normal procedures for good hygie	ene. Avoid eye and skin conta	ict.				
E	Engineering Controls:	General ventilation recommended	d for large jobs. Eyewash stati	on is recommende	d.			
Personal Protective						Subpart I.		
	Equipment: Respirator							
		Goggles/Face Shield Recomm			.			
SEC		GlovesRecomm		it skin contact (rubi	per or Neoprene).			
-			Boiling Point		Not	established		
		Linen alcohol	Freezing Point					
рН			Evaporation Rate (Butyl Ace					
			Vapor Density (Air=1)					
			Vapor Pressure (mmHg)					
			Flash Point	>200°F /	Pensky Martens			
	Chemical Stability:	Stable						
	onditions to Avoid:	Avoid contact with strong acids						
0	Incompatibility:	Strong acids and strong oxidizing ac	gents.					
	Hazardous	Amines, oxides of carbon and nitrog						
	Decomposition:		U	115.				
~	Polymerization:	Hazardous polymerization will not of	ccur.					
	onditions to Avoid:							
SEC								
×		NTAINS A KNOWN OR SUSPECTE						
х		ES NOT CONTAIN ANY KNOWN O ON CARCINOGENS AND OSHA 29 (ENS ACCORDING	5 TO THE CRITE	RIA OF THE NTP		
		Acute: High concentrations can ca		espiratory system.	Indestion of large	quantities can		
	Other Effects:	cause burning pain in the mouth, the				1		
		Chronic: Prolonged or repeated ov	verexposure may result in skin	irritation.				
SEC		DLOGICAL INFORMATION						
	Biodegradability:	Considered biodegradable						
SE(BOD ₅ / COD Value:	POSAL CONSIDERATIONS						
SEC	Waste Disposal	PUSAL CONSIDERATIONS						
	Method:	Dispose of in accordance with local,	, state, and federal regulations	3.				
R	CRA Classification:	Non-hazardous						
SEC	CTION 14 TRA	ANSPORT INFORMATION						
I	DOT Classification:	Non-Regulated						
	Exceptions:							
	Description:	Not applicable						
		BULATORY INFORMATION						
X	EPA Registered:	EPA Reg. No. 66243-1						
Х	TSCA: CERCLA:	Inert ingredients have been listed.						
	SARA 302/304:							
Х	SARA 311/312:	Immediate (Acute) Health Hazard						
	SARA 313:	· · · · · · · · · · · · · · · · · · ·						
Х	HACCP:	Formula complies with USDA guide	lines for nonprocessing areas	and nonfood conta	act surfaces.			
	WHMIS Class: EPA/FIFRA CAUTION: Causes moderate eye irritation. Avoid contact with eyes or clothing. Wash thoroughly with soap and water							
	EPA/FIFRA Labelling:	CAUTION: Causes moderate eye in after handling.	ritation. Avoid contact with eye	es or clothing. Was	in thoroughly with	soap and water		
SEC								
JEC		F107-100						
	Issue Date (Rev):	6/6/19						
	Revision Summary:	Revised Section(s): 1, 9, and 16						
	vevision summary:							

The information provided herein is based on data considered accurate. However, it is furnished WITHOUT WARRANTY OF ANY KIND, EXPRESS OR IMPLIED. It is intended to assist in evaluating the suitability and proper use of the material and in the development of safety precautions and procedures. The user assumes all responsibility for personal injury or property damage caused by the misuse of this product.